



Product Service

Attestation of Conformity

No. N8A 16 08 84752 009

Holder of Certificate: München Energieprodukte GmbHGmunder Str. 53
81379 München
GERMANY**Product:****Crystalline Silicon Terrestrial Photovoltaic (PV) Modules
Poly-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 701261604402-00



Date, 2016-08-24 (Jianhui Wang)

CE After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 3



Attestation of Conformity
No. N8A 16 08 84752 009

Model(s):

- MSPxxxAS-36 (xxx=255 to 335, in step of 5W)
- MSPxxxAS-30 (xxx=215 to 275, in step of 5W)
- MSPxxxAS-27 (xxx=195 to 250, in step of 5W)
- MSPxxxAS-24 (xxx=170 to 220, in step of 5W)
- MSPxxxAS-18 (xxx=130 to 165, in step of 5W)
- MSPxxxAS-22.5 (xxx=160 to 205, in step of 5W)
- MSPxxxSP-48 (xxx=220 to 260, in step of 5W)
- MSPxxxSP-36 (xxx=165 to 195, in step of 5W)
- MSPxxxSP-24 (xxx=110 to 130, in step of 5W)
- MSPxxxSP-18 (xxx=90 to 100, in step of 5W)

Remark: xxx is standing for rated output power at STC.

Parameters:

Rated Output Power at STC:	See attachment
Application Class:	Class A
Max. System Voltage:	1000V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No. 10 West Kaifa Road, Yangzhou 225009, Jiangsu, P.R.China.
Construction:	Framed, with Junction box, cable and connector.

Tested according to:

- EN 61730-1:2007/A2:2013
- EN 61730-2:2007/A1:2012

**Attestation of Conformity
No. N8A 16 08 84752 009**



Product Service

The following models will be covered by above certificate:

Model	Rated Output Power at STC
MSPxxxAS-36 (xxx=255 to 335, in step of 5W)	255W,260W,265W,270W,275W, 280W,285W,290W,295W,300W, 305W,310W,315W,320W,325W, 330W,335W;
MSPxxxAS-30 (xxx=215 to 275, in step of 5W)	215W,220W,225W,230W,235W, 240W,245W,250W,255W,260W, 265W,270W,275W;
MSPxxxAS-27 (xxx=195 to 250, in step of 5W)	195W,200W,205W,210W,215W, 220W,225W,230W,235W,240W, 245W,250W;
MSPxxxAS-24 (xxx=170 to 220, in step of 5W)	170W,175W,180W,185W,190W, 195W,200W,205W,210W,215W, 220W;
MSPxxxAS-18 (xxx=130 to 165, in step of 5W)	130W,135W,140W,145W,150W, 155W,160W,165W;
MSPxxxAS-22.5 (xxx=160 to 205, in step of 5W)	160W,165W,170W,175W,180W, 185W,190W,195W,200W,205W;
MSPxxxASP-48 (xxx=220 to 260, in step of 5W)	220W,225W,230W,235W,240W, 245W,250W,255W,260W;
MSPxxxASP-36 (xxx=165 to 195, in step of 5W)	165W,170W,175W,180W,185W, 190W,195W;
MSPxxxASP-24 (xxx=110 to 130, in step of 5W)	110W,115W,120W,125W,130W;
MSPxxxASP-18 (xxx=90 to 100, in step of 5W)	90W,95W,100W.